



विवेकानन्द महाविद्यालय  
VIVEKANANDA COLLEGE

(दिल्ली विश्वविद्यालय)

(University of Delhi)

विवेक विहार- दिल्ली , ११००९५

VIVEK VIHAR, DELHI – 110 095

E-mail: [vivac2008@vivekanand.du.ac.in](mailto:vivac2008@vivekanand.du.ac.in)

Ph: 011-61367216 दूरभाष: 011-61367216

NAAC ACCREDITED GRADE 'A+'

---

To,

Contractors empaneled with Vivekananda College, Vivek Vihar, Delhi-110095 for Civil/Furnishing works only

**NIQ for renovation and retrofitting work at Vivekanand college, Delhi university at Jhilmil colony, Vivek Vihar, Delhi -110095**

NIQ no. VC/2025/

**INVITATION FOR QUOTATION**

VIVEKANANDA COLLEGE, University of Delhi, (hereinafter called VIVEKANANDA COLLEGE/ Engineer/ Employer) invites quotations from competent agencies with experience and financial capacity for execution of the following work.

**Renovation and retrofitting work at Vivekanand college, Delhi university at Jhilmil colony, Vivek Vihar, Delhi -110095**

The quotations for attached BOQ may be submitted by 3 PM on 31.07.2025. The quotations will be opened on the same date and hour in the presence of bidders if they so desired.

**Terms and conditions**

1. The rates should be quoted both in figure and in words. Corrections if any should bear the initials of the Contractor.
2. The contractor should submit his full name, address, contact phone no. and references for works executed.
3. The work has to be executed strictly as per CPWD specifications and works manual.
4. Principal, Vivekanand College is not bound to accept the lowest tender.

  
Principal  
(Vivekananda College)

प्राचार्या/Principal  
विवेकानन्द महाविद्यालय/Vivekananda College  
(दिल्ली विश्वविद्यालय)/University of Delhi  
विवेक विहार, दिल्ली-95/Vivek Vihar, Delhi-95



**BILL OF QUANTITIES FOR RETROFITTING AND RENOVATION WORKS AT VIVEKANAND COLLEGE,  
UNIVERSITY OF DELHI, VIVEK VIHAR, DELHI-110095**

SI NO	Description	Unit	Qty	Rate Inclusive of GST	Amount	Amount In Word
1	Removal of warped or loose plaster	SQMT	130			
2	Removal of loose concrete portion.	SQMT	210			
3	Cleaning of steel exposed after clearing of loose Concrete to remove rust using MCON steel rust remover	SQMT	210			
4	Application of Epoxy based, two component structural bonding agent. Sika® Hibond or Nitobond EP all sides of the groove	SQMT	210			
5	Rough Cement plaster or patch plaster up to 25 mm thickness with 1 (cement) :3 (sand) mixture with water proofing admixture complete as per require.	SQMT	210			
6	Replastering or patch plaster with 1:3 Cement mortar including waterproof admixture.	SQMT	210			
7	Provision of gola including chasing of wall as per require.	Rmtr	30			
8	20 mm cement plaster with 1:3 Cement mortar finish on wall as per require.	SQMT	130			
9	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	SQMT	340			
10	Providing and making S. folding and dismantling S. folding	SQMT	200			
11	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour.	SQMT	340			
12	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :	SQMT	10			

13	Dismantling of existing tiles flooring and wash basin drainage pipe complete as require.	Lums	1			
14	Providing & fixing 100 mm dia pvc pipe in drain of wash basin including excavation etc complete as require.	Rmtr	7			
15	Pcc 50 mm thick work including labelling etc complete floor as require.	SQMT	13			
16	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	SQMT	13			
17	Supply & installation of 4" cp waste with pvc fitting including pvc waste pipe as require.	Nos	4			
18	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4	cum	1			
19	Removing malba from building	Lums	1			
	<b>Total Inclusive of GST=</b>					

  
प्राचार्या/Principal

विवेकानंद महानिधालय/Vivekananda College

(दिल्ली विश्वविद्यालय)/University of Delhi

विवेक विहार, दिल्ली-95/Vivek Vihar, Delhi-95

 